Nº 47335

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office	<u> </u>	8 1983			
Reti	urned to applicant for correction	NOY	9 1983			
Corı	rected application filed					
Мар	filed	DEC.	8 1983 under 47330			
	The applicant Lacana Mining.	Inc.				
			y make S. application for permission to appropriate the public			
			applicant is a corporation, give date and place of incorpora-			
tion			mbers.) November 17, 1970, State			
1.			nderground Name of stream, lake, spring, underground or other source			
2.	The amount of water applied for is	3.0 cf	fssecond-feet One second-foot equals 448.83 gals. per min.			
3.	The water to be used for min	ing, mill	ling, and domestic			
4.	If use is for:	ation, power, m	nining, manufacturing, domestic, or other use. Must limit to one use.			
	(a) Irrigation, state number of acres to	be irrigated.				
	(b) Stockwater, state number and kinds of animals to be watered.					
	(c) Other use (describe fully under "No. 12. Remarks" see No. 12					
	(d) Power:					
	•					
5	, .		ollowing point NE%, NE%, Section 20, T.27N., Describe as being within a 40-acre subdivision of public			
٥.	R.34E., M. D. B. & M. fr survey, and by course and distance to a section con	om which	Describe as being within a 40-acre subdivision of public the NE corner of Section 20 T.27N., R.34E., arroyed land, it should be so stated. ast, 655 feet.			
6.	M. D. B. & M,		17, 18, 19, 20, and 21, T.27N., R.34E., division. If on unsurveyed land, it should be so stated.			
7.	Use will begin about January 1 Month and Day	and e	end about December 31 , of each year.			
8.			ons of NRS 535.010 you may be required to submit plans and			
			well, pump, storage tank, and pipeline State manner in which water is to be diverted, i.e. diversion structure, ditches and			
_	flumes, drilled well with pump and motor, etc.		0			
У.	Estimated cost of works					

installed and maintained to prevent waste. A totalizing meter must be installed a maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Worfiled. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands.		timated time require	· · · · · · · · · · · · · · · · · · ·	If well completed, descr	be works.	
Annual consumptive use of Well #6 in combination with Wells 1 through 5, and 7 through 9, not to exceed 4.0 cfs (943,557,120 gallons per year). Water to be used for a mining-milling complex. **SJJohn V.A. Sharp** By John V.A. Sharp** By	11. Est	timated time require	d to complete the applica	ation of water to beneficial use	5 years	
through 5, and 7 through 9, not to exceed 4.0 cfs (943,557,120 gallons per year). Water to be used for a mining-milling complex, S/John V.A. Sharp, By. Hydro-Search, Inc. 333 Flint Street Reno, Nevada 89501 Protested. APPROVAL. OP STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final waright obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed an aintained in the discharge pipeline near the point of diversion and accurate mest be installed before any use of water begins, or before the Proof of Completion of Worfield. This source is located within an area designated by the State Engineer, purt on NRS 534,030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit hobtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0. cubic feet per second but not to exceed 707.7 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. May 13., 1986 Application of water to beneficial use shall be filed on or before. May 13., 1989 May in support of proof of beneficial use shall be filed on or before. May 13., 1989 Map in support of proof of		consumptive use. Annual consumptive use of Well #6 in combination with Wells 1 through 5, and 7 through 9, not to exceed 4,0 cfs (943,557,120				
gallons per year). Water to be used for a mining-milling complex. S/John V.A. Sharp By John V.A. Sharp, Agent Hydro-Search, Inc. 333 Flint Street Reno, Nevada 89501 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final waright obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed amaintained in the discharge pipeline near the point of diversion and accurate meas ments must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Wor filed. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The Issuance of this permit does not waive the requirements that the permit hotal nother permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINIED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. Application of work shall be filed before. May 13. 1986 Application of work shall be filed before. May 13. 1989 May in support of proof of beneficial use shall be filed on or before. May 13. 1989						
S/John V.A. Sharp By John V.A. Sharp, Agent Hydro-Search, Inc. 333 Flint Street Reno, Nevada 89501 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final waright obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed as maintained in the discharge pipeline near the point of diversion and accurate mass ments must be kept of water placed to beneficial use. The totalizing meter must be installed. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit h obtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to beneficial use shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0. cubic feet per second. but not to exceed 707.7 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. April 13. 1989 Proof of the application of water to beneficial use shall be filed on or before. April 13. 1989 Map in support of proof of beneficial use shall be filed on or before. Owner than a plied. AD. 19. 84 Cuttural map filed. AD. 19. 86 Cuttural map file						
By John V.A. Sharp, Agent Hydro-Search, Inc. 333 Flint Street Reno, Nevada 89501 Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the amount of water herein granted is only a temporary allowance and that the final waright obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve must installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. In the totalizing meter must be installed before any use of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Wor filed. This source is located within an area designated by the State Engineer, pur to NRS 534,030. The State retains the right to regulate the use of the water here granted at any and all times. This seance of this permit does not waive the requirements that the permit hobtain other permits from State, Federal and local agencies. (SEE PERMIT TERNS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0 cubic feet per second. shut. not. to exceed 707.7 million. gallons. annually. Work must be prosecuted with reasonable diligence and be completed on or before. April. 13. 1989. Proof of the application of work shall be filed on or before. May 13. 1989. April. 13. 1989. April 13. 1989. April 13. 1989. April 13. 1989. April 13. 1989.						
Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final war right obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Wor filed. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit hobtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.9. cubic feet per second but. not. to exceed 707.7 million. gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. Application of work shall be filed before. May 13. 1989. Proof of the application of water to beneficial use shall be filed on or before. May 13. 1989. Proof of the application of water to beneficial use shall be filed on or before. May 13. 1989. Map in support of proof of beneficial use shall be filed on or before. May 13. 1989. Map in support of proof		By John V.A. Sharp, Agent Hydro-Search, Inc.				
APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final waright obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well is hall be equipped with a capture must be longing depth to water. If the well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed before any use of water begins, or before the Proof of Completion of World in the discharge pipeline near the point of diversion and accurate meas ments must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of World in the source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit hobtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0 cubic feet per second but not to exceed 707.7 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. May 13. 1986 Application of water to beneficial use shall be filed on or before. May 13. 1989 May 13. 1986 Application of work filed. IN TESTI	Compare	ed js/ds	dcb/br		01	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final wa right obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a value mu installed and maintained to prevent waste. A totalizing meter must be installed a maintained in the discharge pipeline near the point of diversion and accurate measments must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Wor filed. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit hobtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0 cubic feet per second. but not to exceed 707.7 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. May 13, 1986 Application of water to beneficial use shall be filed on or before. May 13, 1989 Map in support of proof of beneficial use shall be filed on or before. May 13, 1989 Map in support of proof of beneficial use shall be filed on or before. May 13, 1989 Map in support of proof of be	Proteste	d		·		
This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final wa right obtained under this permit will be dependent upon the amount of water actual placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve mu installed and maintained to prevent waste. A totalizing meter must be installed a maintained in the discharge pipeline near the point of diversion and accurate measments must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Wor filed. This source is located within an area designated by the State Engineer, pur to NRS 534.030. The State retains the right to regulate the use of the water here granted at any and all times. This permit does not extend the permittee the right of ingress and egress on private or corporate lands. The issuance of this permit does not waive the requirements that the permit he obtain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed. 3.0 cubic feet per second. but not to exceed 707.7 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. April 13. 1986. Proof of the application of water to beneficial use shall be filed on or before. May 13. 1989. Map in support of proof of beneficial use shall be made on or before. May 13. 1989. Map in support of proof of beneficial use shall be filed on or before. May 13. 1989. Map in support of proof of beneficial use shall be filed on or before. May 13. 1989. Map in support of proof of beneficial use shall be filed on or before. Ma			APPROVAL	OF STATE ENGINEER		
Work must be prosecuted with reasonable diligence and be completed on or before	reaso (2) i insta maint ments insta filed to NR grant priva	(2) inch opening for measuring depth to water. If the well is flowing, a valve must installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurents must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work filed. This source is located within an area designated by the State Engineer, pursuate NRS 534.030. The State retains the right to regulate the use of the water hereingranted at any and all times. This permit does not extend the permittee the right of ingress and egress on provivate or corporate lands. The issuance of this permit does not waive the requirements that the permit hopotain other permits from State, Federal and local agencies. (SEE PERMIT TERMS CONTINUED ON NEXT PAGE.)				
Work must be prosecuted with reasonable diligence and be completed on or before	not to ex	xceed	3.0	cubic feet per secondbu	not to exceed 707.7	
Work must be prosecuted with reasonable diligence and be completed on or before				·		
Proof of completion of work shall be filed before		-				
Proof of the application of water to beneficial use shall be filed on or before. May 13, 1989 Map in support of proof of beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF, I PETER G. MORROS. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this		r - r - r - r - r - r - r - r - r	rith reasonable diligence	and be completed on or before		
Map in support of proof of beneficial use shall be filed on or before. Completion of work filed	Work m				April 13, 1986	
Completion of work filed. Proof of beneficial use filed. Cultural map filed. Certificate No. 218 (Rev.) State Engineer of Nevada, have hereunto set my hand and the seal of my office, this	Work m	f completion of work	shall be filed before		April 13, 1986 May 13, 1986	
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 13th day of APRIL Cultural map filed	Work m Proof of Applicat	f completion of work	s shall be filed before	on or before	April 13, 1986 May 13, 1986 April 13, 1989	
Proof of beneficial use filed	Work m Proof of Applicat	f completion of work tion of water to bene f the application of v	s shall be filed before eficial use shall be made water to beneficial use sh	on or beforeall be filed on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989	
Certificate No	Work m Proof of Applicat Proof of Map in	f completion of work tion of water to bene f the application of v support of proof of	s shall be filed before eficial use shall be made water to beneficial use sh beneficial use shall be fil	on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989 PETER G. MORROS	
Certificate No	Work m Proof of Applicat Proof of Map in a	f completion of work tion of water to bene f the application of v support of proof of ion of work filed	eficial use shall be made water to beneficial use shall be fill beneficial	on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989 PETER G. MORROS Into set my hand and the seal of	
JUL 1 3 1993 BECAUSE OF FAILURE	Work m Proof of Applicate Proof of Map in a Completic	f completion of work tion of water to bene f the application of v support of proof of ion of work filed	eficial use shall be made water to beneficial use sh beneficial use shall be fil	on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989 PETER G. MORROS Into set my hand and the seal of	
FO JUL 1 3 1993 BECAUSE OF FAITURE	Work m Proof of Applicate Proof of Map in a Completic Proof of Cultural	f completion of work tion of water to bene f the application of v support of proof of ion of work filed beneficial use filed	eficial use shall be made water to beneficial use sh beneficial use shall be fil	on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989 PETER G. MORROS Into set my hand and the seal of	
LICAGE STATE ENGINEER	Work m Proof of Applicat Proof of Map in Completic Proof of Cultural	f completion of work tion of water to bene f the application of v support of proof of ion of work filed beneficial use filed map filed	eficial use shall be made water to beneficial use sh beneficial use shall be fil	on or before	April 13, 1986 May 13, 1986 April 13, 1989 May 13, 1989 PETER G. MORROS Into set my hand and the seal of APRIL	

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on

existing rights and the resource within the groundwater basin.

The total combined duty of water under permits 40780, 40782, 46892, 47330, 47331, 47332, 47333, 47334, 47335, 47336, 47337, 47338 and 47425 shall not exceed 707.7 million

gallons annually.